



BEARING DRIVESHAFT, INC.

NTN ASPF205-100 Flange Block Bearings



Bearing No. ASPF205-100

ASPF205-100 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.32
EAN	4547359019995
Product Group	M06110
Number of Mounting Holes	3
Mounting Method	Set Screw
Housing Style	3 Bolt Round Flange Block
Rolling Element	Ball Bearing
Housing Material	Stamped Steel
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/16 Inch
Relubricatable	No
Insert Part Number	AS205-100
Seals	Single Lip Contour Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	3 Bolt Round Flange Block; 1" Bore; 3" Bolt Circle; 2.6" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Stamped Steel; Ball Bearing; 1-1/16" Length Thru Bore; No Relubricatable; Sin
Other Features	Single Row Light Duty



BEARING DRIVESHAFT, INC.

	Narrow Inner Race
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	ASPF205-100
Weight / LBS	0.7
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	1.063 Inch 27 Millimeter
Nominal Bolt Circle Diameter Round	3 Inch 76 Millimeter
Bolt Spacing	2.6 Inch 66 Millimeter
d	1 Inch 25.4 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
bore diameter:	1.0000 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	3.0000 in
radial dynamic load capacity:	3150 lb
overall length/diameter:	3.7500 in
radial static load capacity:	1770 lb
bore type:	Round
length through bore:	27 mm
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Three-Bolt Round
series:	ASPF2
housing material:	Steel
standards met:	ISO, AFBMA



BEARING DRIVESHAFT, INC.

locking device:	Set Screw
replacement bearing:	AS205-100