



BEARING DRIVESHAFT, INC.

5.598 Inch | 142.19 Millimeter x 6.302 Inch |
 160.071 Millimeter x 1.181 Inch | 30 Millimeter
 NTN M1218SAH Cylindrical Roller Bearings

Bearing No. M1218SAH

M1218SAH Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.853
EAN	4547359488098
Product Group	B04144
Bore Profile	Straight
Cage Material	Not Applicable
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Outer Ring Only
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Not Applicable
Relubricatable	Yes
Inch - Metric	Inch
Other Features	1 Rib Outer Ring Oversize OD Blind Dowel Hole in Outer Ring OD
Long Description	5.598" Bore; Straight Bore Profile; 6.302" Outside Diameter; 1.181" Width; RBEC 1 ISO P0; Single



BEARING DRIVESHAFT, INC.

	Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Keyword String	Cylindrical
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	M1218SAH
B	1.181 Inch 30 Millimeter
d	5.598 Inch 142.19 Millimeter
D	6.302 Inch 160.071 Millimeter
bore diameter:	142.190 mm
operating temperature range:	-40 to 120 ° C
outside diameter:	6.3020 in
precision rating:	ISO Class 0
overall width:	30 mm
bearing material:	Hardened Alloy Steel
flanges:	(1) Outer Ring
cage material:	None
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	CN
fillet radius:	2.03 mm
ring separation:	No Inner Ring
manufacturer product page:	Click here



BEARING DRIVESHAFT, INC.